

Fabrication of stable Pd nanowire assisted by hydrogen in solution

Manabu Kiguchi and Kei Murakoshi

Department of Chemistry, Graduate School of Science, Hokkaido University, Sapporo, 060-0810, Japan
(February 3, 2008)

We have mechanically fabricated a Pd nanowire in solution under electrochemical potential control. A clear feature appeared in the conductance histogram when the electrochemical potential of the Pd wire was kept at the hydrogen evolution potential. Conductance traces showed the Pd wire was stretched 0.4 nm in length just before breaking, suggesting that at least two Pd atoms might contribute to the formation of the Pd wire. The results indicate that a certain atomic configuration of the Pd nanowire is stabilized by hydrogen. We discuss the stabilization mechanism due to changes in bond strengths caused by hydrogen adsorption or incorporation.

Fabrication and characterization of metal atomic wires have attracted attention due to their potential applications in future electronic devices [1]. Recently, Ir, Pt, Au mono atomic wires have been fabricated by pulling nano contacts using a scanning tunneling microscope (STM) or a mechanically controllable break junction (MCBJ) in ultra high vacuum (UHV) at low temperatures [1–3]. In addition to methods in UHV, the electrochemical method has been recognized as another powerful approach in the fabrication of metal nanowires [4–8]. Recently, we have demonstrated that Fe, Co, and Ni metal nanowires were stabilized in solution at room temperature via the hydrogen evolution reaction [6,7]. Furthermore, we observed results suggesting the formation of a mono atomic Ni wire in solution, while mono atomic wires of 3d and 4d metals have not been prepared in UHV up to now.

In the present study, we have studied the hydrogen assisted stabilization of the Pd (4d metal) nanowire in the fabrication of a mono atomic wire. A mono atomic Pd wire is predicted to be ferromagnetic [9], and to test this hypothesis it is useful to fabricate this wire. In addition to the stabilization of the Pd nanowire by hydrogen, the interaction between hydrogen and the Pd nanowire should be interesting. Since the interaction between hydrogen and Pd is large, the nanowire of the palladium hydride formed in solution should have electrical properties [10].

In our study of the Pd nanowire, we have chosen to measure the conductance. Electrical conductance through a metal nanowire on an atomic scale is expressed by $G = 2e^2/h \sum T_i$ where T_i is the transmission probability of the i -th conductance channel, e is the electron charge, and h is Plank's constant [1]. Since conductance quantization depends on the atomic structure of a nanowire and the inherent properties of metals, we can study the atomic and electronic structures of metal nanowires by the conductance measurements. We have already studied conductance quantization of a Pd nanowire in solution [8]. The conductance histogram displayed a clear feature peak at $1 G_0$, while conductance quantization was not observed in UHV at room temper-

ature [11]. At low temperatures in UHV, the appearance of the $1 G_0$ and $0.5 G_0$ features were reported in the conductance histogram for Pd under hydrogen dosing [12]. At the present stage, it is clear that hydrogen stabilizes the structure with a $1 G_0$ or $0.5 G_0$ both in UHV and solution. However, there has been little discussion about the structure, that is, it is not clear whether the conductance originates from the bridging hydrogen molecules or the Pd nanostructure stabilized by hydrogen.

In the present study, we have investigated the mechanical properties of the Pd nanowire under electrochemical potential control. To obtain information about the structure of the nanowire, we have analyzed each conductance trace, as the conductance traces provide information about the nanowire such as wire length and thickness. Using the trace analysis results, we discuss the formation mechanism of the Pd mono atomic wire in solution.

The experimental design used in this study was the same as described in our previous report [5–8]. An electrochemical scanning tunneling microscope (EC-STM) was used to fabricate the Pd nanowire. The electrochemical potential (Φ_0) was controlled using a potentiostat (Pico-Stat, Molecular Imaging Co.) with a Ag/AgCl reference electrode. The electrolyte consisted of 1 mM PdCl₄, 2 mM HCl and 0.05 M H₂SO₄. The Pd nanowire was prepared as follows. First, the electrochemical potential of both the STM tip and substrate were maintained at less than +450 mV where Pd bulk deposition proceeds [13]. After the sufficient deposition of Pd onto the surfaces of the STM tip and the substrate, the tip was pressed into the substrate and contacts were then pulled out. During contact breaking, a Pd nanowire is formed between the tip and substrate. Conductance was measured during the breaking process under an applied bias of 20 mV between the tip and substrate. Statistical data (conductance histograms, etc.) was obtained for a large number (over 3000) of individual conductance traces.

Figure 1 (a) shows the cyclic voltammogram of the Au electrode in solution. Pd deposition and hydrogen adsorption/evolution proceeded when the electrochemical

potential of Au electrodes were maintained under more negative conditions than $\Phi_0 = 450$ mV and $\Phi_0 = -200$ mV, respectively [13–15]. Figure 1 (b) and (c) show the conductance histogram of the Pd nanowire at (b) $\Phi_0 = -250$ mV and (c) $\Phi_0 = 100$ mV. There is no clear feature in the conductance histogram at $\Phi_0 = 100$ mV, suggesting that no preferential atomic configurations were formed. The featureless conductance histogram agreed with the previous results in UHV at room temperature [11]. When the electrochemical potential of the nanowire was maintained under more negative conditions ($\Phi_0 = -200$ mV), a feature appeared near the unit of the quantum conductance ($0.9 G_0$). These results agree with our previous results [8].

Next, we analyzed the conductance traces to determine the structure of the Pd nanowire. Figure 2 shows the typical conductance traces at (a) $\Phi_0 = 100$ mV and (b,c) $\Phi_0 = -250$ mV. As a general tendency, the conductance changed in a stepwise fashion rather than continuously. At $\Phi_0 = 100$ mV, the conductance values of the plateaus were non-reproducible, resulting in featureless conductance histograms (Fig. 1 (c)). On the other hand, the 0.6 - $1.2 G_0$ plateau with a stretched length ca. 0.5 nm appeared in the trace at $\Phi_0 = -250$ mV as shown in Fig. 2(b). These characteristic plateaus were the origin of the feature at $0.9 G_0$ in the conductance histogram (Fig. 1 (b)). The value of $0.9 G_0$ may correspond to that of a Pd mono atomic contact. This value is comparable to previously documented estimations of clean transition metal mono atomic contacts in UHV systems [1]. The length of the plateau also showed dependence on the electrochemical potential. To evaluate characteristics of the plateau length quantitatively, we examined the distribution of lengths for the last conductance plateau. For comparison, we examined the Pt nanowire under the hydrogen evolution, in which a hydrogen molecule would bridge between Pt electrodes. Smit et al. showed that the $1 G_0$ feature appeared in the conductance histogram under hydrogen dosing at low temperatures in UHV [16]. By measuring the conductance and vibration spectra, they showed that the $1 G_0$ feature originated from a single hydrogen molecule bridging Pt electrodes. In the breaking trace, the $1 G_0$ plateau broke within 0.2 nm, which is consistent with the small size of the hydrogen molecule [16]. The inset of Fig. 3 (a) shows the conductance histogram of the Pt nanowire under hydrogen evolution reaction in solution. A feature close to $1 G_0$ appears in the histogram. The feature appears to have originated from the bridging hydrogen molecule, although the situation in solution might be different from that in UHV at low temperatures. Figure 3 (a) shows the distribution of lengths for the last conductance plateau for Pt. The length of the last plateau was defined as the distance between the points at which the conductance dropped below $1.3 G_0$ and $0.7 G_0$, respectively. These values were fixed in the following analysis. The contact broke at a short length

of 0.2 nm which is in agreement with previous results [16].

Figure 3 (b) shows the distribution of lengths for the last conductance plateau for Pd at $\Phi_0 = -250$ mV. For comparison, we also show the distribution of the lengths for Pd at $\Phi_0 = 100$ mV. While the contact broke within 0.2 nm at $\Phi_0 = 100$ mV, the plateau was stretched 0.4 nm in length at $\Phi_0 = -250$ mV. If a hydrogen molecule bridges between the Pd nanowire, the plateau length would be restricted to be 0.2 nm using the Pt results. The long plateau suggests that the $1 G_0$ feature did not originate from the hydrogen bridges. Since the Pd-Pd distance is 0.27 nm for bulk Pd, the 0.4 nm long $1 G_0$ plateau corresponds to a mono atomic wire of about two Pd atoms. A hydrogen atom would adsorb on the surface or be incorporated in the wire under the hydrogen evolution reaction, and thus, a stable Pd nanowire would be formed in solution.

The formation of a Pd mono atomic wire was also supported by the conductance trace. We occasionally observed reversible transition of conductance between a $1 G_0$ and 0.6 - $0.7 G_0$ as seen Fig. 2(c). A similar reversible transition of conductance was reported for Au mono atomic wires in the presence of physically adsorbed hydrogen in UHV at low temperatures (10 - 30 K) [17,18]. Similar behavior was also observed for the Au mono atomic wire in solution under electrochemical potential control [19]. The fractional conductance and reversible transition are explained by the formation of a dimerized structure in the Au mono atomic wire, and the dynamic structural transition between a dimerized wire and an equal-spacing wire, respectively. The dimerization is a characteristic of a mono atomic wire. Therefore, the reversible transition of the conductance observed in the present study may reflect a similar dynamic structural transition in the Pd mono atomic wire. Present observations strongly suggest that the Pd mono atomic wire was fabricated in solution at room temperature under the hydrogen evolution reaction. Hydrogen stabilized the specific structure of the Pd mono atomic wire in solution at room temperature, leading to the characteristic conductance quantization behavior which has not observed in UHV at room temperature. At the present stage, it remains unclear whether hydrogen atom adsorbs on the wire or incorporates in the wire. In-situ point contact spectroscopy should be indispensable to obtain an information on the structure [16].

Adsorbed or incorporated hydrogen may play a decisive role in improving the stability of Pd mono atomic wire in solution. Generally, the bond strength between atoms increases when the coordination number of neighboring atoms becomes low [3]. Further increments in the stabilization becomes significant in 5d metals due to the relative effects of the valence electron, leading to the formation of a very stable nanowire of 5d metals. In the case of 3d and 4d metals, it is known that stabilization

of the bond strength due to changes in the coordination number as well as from the relative effect of electrons is not significant. These characteristics are key in the difficulty of preparing 3d and 4d metal nanowires showing stable conductance quantization. However, hydrogen adsorption/incorporation in the Pd nanowire is expected to change this situation. Adsorption of hydrogen to Pd proceeds via electron transfer from Pd to hydrogen [20]. Since the top of the 4d band of bulk Pd consists of states with anti-bonding characteristics, a decrease in the occupancy of the anti-bonding 4d band due to hydrogen adsorption would increase the bond strength between Pd atoms. Thus, hydrogen adsorption/incorporation may result in the stabilization of the Pd nanowire. This change in the electronic structure of the Pd nanowire under the hydrogen evolution reaction resulted in the fabrication of the stable Pd nanowire with $0.9 G_0$. Significant changes in the conductance value from $1.8 G_0$ clean Pd to $0.9 G_0$ hydrogen adsorption/incorporation Pd may also originate from this change in the electronic structure of the Pd nanowire. Finally, we briefly compare the present results with that in UHV at low temperature. While the $1 G_0$ and $0.5 G_0$ features were reported in the conductance histogram for Pd in UHV at low temperature [12], the $0.5 G_0$ feature was not observed in the conductance histogram under hydrogen evolution reaction in solution. In UHV, a hydrogen molecule is introduced to the Pd nano wire. On the other hand, in solution under hydrogen evolution reaction, an atomic hydrogen is formed on the Pd surface as dominant intermediate of the reaction [21]. The situation in solution, which is different from that in UHV at low temperature, may lead to the absence of the structure of $0.5 G_0$ peak in the histogram.

In conclusion, we have observed conductance quantization behavior of mechanically fabricated Pd nanowire under electrochemical potential control. Under the hydrogen evolution reaction, a peak close to a $1 G_0$ appeared in the conductance histogram, suggesting that a certain atomic arrangement was maintained in solution. Relatively long 0.4 nm stretch lengths and reversible conductance fluctuations during stretching suggests the formation of a one-dimensional Pd mono atomic wire in solution at room temperature. This work was partially supported by a Grant-in-Aid for Scientific Research A (No. 16205026) and Grant-in-Aid for Scientific Research on Priority Areas (No. 17069001) from MEXT.

- [3] R. H. M. Smit, C. Untiedt, A. I. Yanson, and J. M. van Ruitenbeek, Phys. Rev. Lett. **87**, 266102 (2001).
- [4] C. Shu, C. Z. Li, H. X. He, A. Bogozzi, J. S. Bunch, and N. J. Tao, Phys. Rev. Lett. **84**, 5196 (2000).
- [5] J. Li, T. Kanzaki, K. Murakoshi, Y. Nakato, Appl. Phys. Lett. **81**, 123 (2002).
- [6] M. Kiguchi, T. Konishi, K. Murakoshi, Appl. Phys. Lett. **87**, 043104 (2005).
- [7] T. Konishi, M. Kiguchi, K. Murakoshi, Jpn. J. Appl. Phys. **45**, 2000 (2006).
- [8] J. Li, Y. Nakato, and K. Murakoshi, Chem. Lett. **34** (2005) 374.
- [9] A. Delin, E. Tosatti, R. Weht, Phys. Rev. Lett. **92**, 57201 (2004).
- [10] A.G. Lipson, B.F. Lyakhov, D.M. Sakov, V.A. Kuznetsov, Phys. Solid State **38**, 915(1996).
- [11] A. Enomoto, S. Kurokawa, and A. Sakai, Phys. Rev. B **65**, 125410 (2002).
- [12] Sz. Csonka, A. Halbritter, G. Mihaly, O.I.Shklyarevskii, S. Speller, H.van Kepen, Phys. Rev. Lett. **93**, 16802(2004).
- [13] H. Naohara, S. Ye, K. Uosaki, J. Phys. Chem. B **102**, 4366 (1998).
- [14] S.Y. Liu, Y.H. Kao, Y.O. Sy, T.P. Perng, J. Alloys and Compounds **293-295**, 468 (1999).
- [15] A. Czerwinski, R. Matassi, S. Zamponi, J. Electroanal. Chem. **316**, 211 (1991).
- [16] R. H. M. Smit, Y. Noat, C. Untiedt, N. D. Lang, M. C. van Hemert and J. M. van Ruitenbeek, Nature **419**, 906 (2002).
- [17] Sz. Csonka, A. Halbritter, G. Mihaly, E. Jurdik, O. I. Shklyarevskii, S. Speller, and H. van Kempen, Phys. Rev. Lett. **90**, 116803 (2003).
- [18] Sz. Csonka, A. Halbritter, and G. Mihaly, Phys. Rev. B **73**, 75405 (2006).
- [19] M. Kiguchi, T. Konishi, and K. Murakoshi, Phys. Rev. B **73**, 125406 (2006).
- [20] V. Ledentu, W. Dong, P. Sautet, G. Kresse and J. Hafner, Phys. Rev. B **57**, 12482 (1998).
- [21] G. Jerkiewicz, Prog. Surf. Sci. **57**, 137 (1998).




FIG. 1. (a) Cyclic voltammogram observed in 1 mM PdCl_4 , 2 mM HCl and $0.05 \text{ M H}_2\text{SO}_4$. The Conductance histograms at (b) $\Phi_0 = -250 \text{ mV}$, (c) $\Phi_0 = 100 \text{ mV}$.

- [1] N. Agrait, A.L. Yeyati, J.M. van Ruitenbeek, Physics Reports **377**, 81 (2003).
- [2] S.R. Bahn and K.W. Jacobsen, Phys. Rev. Lett. **87**, 266101 (2001).




FIG. 2. Typical conductance traces of Pd nanowire at (a) $\Phi_0 = 100$ mV, (b,c) $\Phi_0 = -250$ mV.




FIG. 3. The distribution of lengths for the last conductance plateau for Pt under hydrogen evolution reaction ($\Phi_0 = -800$ mV). Inset: Conductance histogram of Pt nanowire at $\Phi_0 = -800$ mV. (b) Distribution of lengths for the last conductance plateau for Pd at $\Phi_0 = 100$ mV and $\Phi_0 = -250$ mV.